# antibodies -online.com









Go to Product page


$\sim$					
	1//6	r	<b>V</b> I	$\Theta$	Λ

Quantity:	100 μL	
Target:	GAMT	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GAMT antibody is un-conjugated	
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	
Product Details		
Immunogen:	Recombinant full length protein of human GAMT	
Specificity:	Recognizes endogenous levels of GAMT protein.	
Characteristics:	Rabbit polyclonal antibody to GAMT	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Target Details		
Target:	GAMT	
Alternative Name:	GAMT (GAMT Products)	
Background:	Guanidinoacetate N-methyltransferase	
Gene ID:	2593	
UniProt:	Q14353	

# **Application Details**


The state of the s			
Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.		
Preservative:	Sodium azide		
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.		
Expiry Date:	12 months		

## **Images**



### **Immunofluorescence**

**Image 1.** Immunofluorescent analysis of GAMT staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



## **Western Blotting**

Image 2. Western blot analysis of GAMT expression in Jurkat (A), Hela (B), mouse liver (C), rat brain (D) whole cell lysates.