antibodies .- online.com









Go to Product page

\sim							
	1//	$rac{1}{2}$	`\/	L	Р	1	٨

Overview	
Quantity:	100 μL
Target:	WDR48
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDR48 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	Recombinant full length protein of human WDR48

Recognizes endogenous levels of WDR48 protein.

Rabbit polyclonal antibody to WDR48

Target Details

Characteristics:

Specificity:

Purification:

- Target Betano	
Target:	WDR48
Alternative Name:	WDR48 (WDR48 Products)
Background:	KIAA1449, UAF1, WD repeat-containing protein 48, USP1-associated factor 1, WD repeat endosomal protein, p80
Gene ID:	57599, 67561

The antibody was purified by immunogen affinity chromatography.

Target Details

UniProt:	Q	8	37	Γ,	4	F	3	,	Q	3	BE	31	4	5	-
----------	---	---	----	----	---	---	---	---	---	---	----	----	---	---	---


Application Details

Application Notes:	WB (1:500 - 1:2000), IH (1:50 - 1:100)
Restrictions:	For Research Use only

Handling


Format:	Liquid	
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.	
Expiry Date:	12 months	

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of WDR48 staining in human colon formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the a



Western Blotting

Image 2. Western blot analysis of WDR48 expression in A431 (A), A549 (B), mouse brain (C), rat testis (D) whole cell lysates.