antibodies .- online.com









Overview

OVCIVICVV	
Quantity:	100 μL
Target:	CBFA2T2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CBFA2T2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)
Product Details	
Immunogen:	Recombinant full length protein of human MTGR1
Specificity:	Recognizes endogenous levels of MTGR1 protein.
Characteristics:	Rabbit polyclonal antibody to MTGR1
Purification:	The antibody was purified by immunogen affinity chromatography.
Target Details	
Target:	CBFA2T2
Alternative Name:	MTGR1 (CBFA2T2 Products)
Background:	EHT, MTGR1, Protein CBFA2T2, ETO homologous on chromosome 20, MTG8-like protein, MTG8-related protein 1, Myeloid translocation-related protein 1, p85
Gene ID:	9139, 12396

Target Details

UniProt: 043439, 070374

Application Details


Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:100)

Restrictions: For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Western Blotting

Image 1. Western blot analysis of MTGR1 expression in Jurkat (A), HepG2 (B), mouse testis (C), mouse kidney (D), rat brain (E) whole cell lysates.



Immunofluorescence

Image 2. Immunofluorescent analysis of MTGR1 staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody