.-online.com antibodies

Datasheet for ABIN7307034 anti-MOCS3 antibody

3 Images



Overview

Quantity:	100 µL
Target:	MOCS3
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MOCS3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Immunogen:	Recombinant full length protein of human MOCS3
Specificity:	Recognizes endogenous levels of MOCS3 protein.
Characteristics:	Rabbit polyclonal antibody to MOCS3
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

MOCS3
MOCS3 (MOCS3 Products)
UBA4, Adenylyltransferase and sulfurtransferase MOCS3, Molybdenum cofactor synthesis protein 3, Molybdopterin synthase sulfurylase, MPT synthase sulfurylase

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7307034 | 04/13/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Gene ID:	27304
UniProt:	095396


Application Details

Application Notes:	WB (1:500 - 1:2000), IH (1:50 - 1:200), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images




Western Blotting

Image 1. Western blot analysis of MOCS3 expression in HepG2 (A), Jurkat (B), mouse liver (C), rat heart (D) whole cell lysates.





Image 2. Immunofluorescent analysis of MOCS3 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Immunohistochemistry

Image 3. Immunohistochemical analysis of MOCS3 staining in mouse kidney formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7307034 | 04/13/2024 | Copyright antibodies-online. All rights reserved.