

Datasheet for ABIN7307076

anti-COQ3 antibody

2 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	COQ3
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This COQ3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Immunogen:	Recombinant full length protein of human COQ3
Specificity:	Recognizes endogenous levels of COQ3 protein.
Characteristics:	Rabbit polyclonal antibody to COQ3
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	COQ3
Alternative Name:	COQ3 (COQ3 Products)
Background:	Hexaprenyldihydroxybenzoate methyltransferase, mitochondrial, 2-polyprenyl-6-hydroxyphenol methylase, 3,4-dihydroxy-5-hexaprenylbenzoate methyltransferase, DHHB methyltransferase, DHHB-MT, DHHB-MTase, 3-demethylubiquinone-10 3-methyltransferase, Dihydroxyhexaprenylbenzoate methyltransferase

Target Details

Gene ID:	51805, 230027, 29309
UniProt:	Q9NZJ6 , Q8BMS4 , Q63159
Pathways:	Methionine Biosynthetic Process

Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of COQ3 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Western Blotting

Image 2. Western blot analysis of COQ3 expression in NCIH460 (A), mouse heart (B), rat liver (C) whole cell lysates.