# antibodies .- online.com







# anti-STK19 antibody

**Images** 



$\sim$			
	N/6	1//r	$I \cap V$

Quantity:	100 μL	
Target:	STK19	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This STK19 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	

#### **Product Details**

Immunogen:	Recombinant full length protein of human STK19
Specificity:	Recognizes endogenous levels of STK19 protein.
Characteristics:	Rabbit polyclonal antibody to STK19
Purification: The antibody was purified by immunogen affinity chromatography.	


## **Target Details**

Target:	STK19
Alternative Name:	STK19 (STK19 Products)
Background:	G11, RP1, Serine/threonine-protein kinase 19, Protein G11, Protein RP1
Gene ID:	8859, 54402
UniProt:	P49842, Q9JHN8

### **Application Details**


Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.	
Expiry Date:	12 months	

#### **Images**



#### Immunofluorescence

**Image 1.** Immunofluorescent analysis of STK19 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



#### **Western Blotting**

Image 2. Western blot analysis of STK19 expression in Jurkat (A), HepG2 (B), mouse liver (C), rat lung (D), rat brain (E) whole cell lysates.