antibodies -online.com







anti-CFHR3 antibody

Images



| Quantity: | 100 μL |
|--------------|---|
| Target: | CFHR3 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CFHR3 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC) |

Product Details

| Immunogen: | Recombinant full length protein of human FHR3 |
|------------------|---|
| Specificity: | Recognizes endogenous levels of FHR3 protein. |
| Characteristics: | Rabbit polyclonal antibody to FHR3 |
| Purification: | The antibody was purified by immunogen affinity chromatography. |

Target Details

| Target: | CFHR3 |
|-------------------|--|
| Alternative Name: | FHR3 (CFHR3 Products) |
| Background: | CFHL3, FHR3, Complement factor H-related protein 3, FHR-3, DOWN16, H factor-like protein 3 |
| Gene ID: | 10878 |
| UniProt: | Q02985 |

Application Details


| Application Notes: | WB (1:500 - 1:2000), IF/IC (1:50 - 1:100) |
|--------------------|--|
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles. |
| Expiry Date: | 12 months |

Validation report #101371 for Immunofluorescence (IF)



Immunofluorescence

Image 1. Immunofluorescent analysis of FHR3 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Western Blotting

Image 2. Western blot analysis of FHR3 expression in A549 (A), HepG2 (B), NIH3T3 (C), mouse liver (D), rat liver (E) whole cell lysates.