antibodies - online.com







anti-CBLC antibody

Images



\sim	
()\/△	rview
\cup	1 410 44

Overview	
Quantity:	100 μL
Target:	CBLC
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CBLC antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)
Product Details	
Immunogen:	Recombinant full length protein of human Cbl-3
Specificity:	Recognizes endogenous levels of Cbl-3 protein.
Characteristics:	Rabbit polyclonal antibody to Cbl-3
Purification:	The antibody was purified by immunogen affinity chromatography.
Target Details	
Target:	CBLC
Alternative Name:	Cbl-3 (CBLC Products)
Background:	CBL3, RNF57, E3 ubiquitin-protein ligase CBL-C, RING finger protein 57, SH3-binding protein
	CBL-3, SH3-binding protein CBL-C, Signal transduction protein CBL-C
Gene ID:	23624

Target Details

UniProt:	Q9ULV8
Pathways:	EGFR Signaling Pathway


Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:100)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of Cbl-3 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Western Blotting

Image 2. Western blot analysis of Cbl-3 expression in HEK293T (A), Raji (B), mouse kidney (C) whole cell lysates.