# antibodies -online.com







# anti-Annexin A11 antibody





$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μL
Target:	Annexin A11 (ANXA11)
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Annexin A11 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

#### **Product Details**

Purpose:	Rabbit polyclonal antibody to Annexin A11
Immunogen:	Recombinant full length protein of human Annexin A11
Specificity:	Recognizes endogenous levels of Annexin A11 protein.
Characteristics:	Rabbit polyclonal antibody to Annexin A11
Purification:	The antibody was purified by immunogen affinity chromatography.

# Target Details

Target:	Annexin A11 (ANXA11)
Alternative Name:	Annexin A11 (ANXA11 Products)
Background:	ANX11, Annexin A11, 56 kDa autoantigen, Annexin XI, Annexin-11, Calcyclin-associated annexin 50, CAP-50

#### **Target Details**

Gene ID:	311, 11744
UniProt:	P50995, P97384


### **Application Details**

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only

# Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

#### **Images**



#### **Immunofluorescence**

**Image 1.** Immunofluorescent analysis of Annexin A11 staining in Jurkat cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary a



#### **Western Blotting**

**Image 2.** Western blot analysis of Annexin A11 expression in Jurkat (A), SKOV3 (B), A549 (C), mouse kidney (D), rat brain (E) whole cell lysates.