antibodies -online.com







anti-BAG2 antibody

Images



Overview

Quantity:	100 μL
Target:	BAG2
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BAG2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Purpose:	Rabbit polyclonal antibody to BAG2
Immunogen:	Recombinant full length protein of human BAG2
Specificity:	Recognizes endogenous levels of BAG2 protein.
Characteristics:	Rabbit polyclonal antibody to BAG2
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	BAG2
Alternative Name:	BAG2 (BAG2 Products)
Background:	BAG family molecular chaperone regulator 2, BAG-2, Bcl-2-associated athanogene 2
Gene ID:	9532, 213539

Target Details

UniProt:	0	9	15	38	31	16	5,	Q	9	11	Y	'n	1	9
----------	---	---	----	----	----	----	----	---	---	----	---	----	---	---


Application Details

Application Notes:	WB (1:500 - 1:2000), IH (1:50 - 1:100)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of BAG2 staining in human liver cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with



Western Blotting

Image 2. Western blot analysis of BAG2 expression in Hela (A), Jurkat (B), HepG2 (C) whole cell lysates.