.-online.com antibodies

Datasheet for ABIN7307662 anti-CIRBP antibody

3 Images



Overview

Quantity:	100 μL
Target:	CIRBP
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CIRBP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Purpose:	Rabbit polyclonal antibody to CIRBP
Immunogen:	Recombinant full length protein of human CIRBP
Specificity:	Recognizes endogenous levels of CIRBP protein.
Characteristics:	Rabbit polyclonal antibody to CIRBP
Purification:	The antibody was purified by immunogen affinity chromatography.


Target Details

Target:	CIRBP
Alternative Name:	CIRBP (CIRBP Products)
Background:	A18HNRNP, CIRP, Cold-inducible RNA-binding protein, A18 hnRNP, Glycine-rich RNA-binding

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7307662 | 04/13/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
	protein CIRP
Gene ID:	1153, 12696, 81825
UniProt:	Q14011, P60824, P60825
Pathways:	Ribonucleoprotein Complex Subunit Organization
Application Details	
Application Notes:	WB (1:500 - 1:2000), IH (1:50 - 1:200), IF/IC (1:10 - 1:100)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images





Immunofluorescence

Image 1. Immunofluorescent analysis of CIRBP staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7307662 | 04/13/2024 | Copyright antibodies-online. All rights reserved.

Images





Immunohistochemistry

Image 2. Immunohistochemical analysis of CIRBP staining in human testis formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the

Western Blotting

Image 3. Western blot analysis of CIRBP expression in HL60 (A), SKOV3 (B), mouse brain (C) whole cell lysates.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7307662 | 04/13/2024 | Copyright antibodies-online. All rights reserved.