antibodies .- online.com







anti-EIF6 antibody

Images



\sim	
()\/\	rview
\circ	1 410 44

Quantity:	100 μL
Target:	EIF6
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EIF6 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Purpose:	Rabbit polyclonal antibody to EIF6
Immunogen:	Recombinant full length protein of human EIF6
Specificity:	Recognizes endogenous levels of EIF6 protein.
Characteristics:	Rabbit polyclonal antibody to EIF6
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	EIF6
Alternative Name:	EIF6 (EIF6 Products)
Background:	EIF3A, ITGB4BP, Eukaryotic translation initiation factor 6, eIF-6, B(2)GCN homolog, B4 integrin interactor, CAB, p27(BBP)

Target Details

Gene ID:	3692, 16418, 305506
UniProt:	P56537, O55135, Q3KRD8
Pathways:	Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly

Application Details	
Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which


should be handled by trained staff only.

Storage: Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles. Storage Comment:

Expiry Date: 12 months

Images

Preservative:




Sodium azide

-20 °C

Immunofluorescence

Image 1. Immunofluorescent analysis of EIF6 staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Western Blotting

Image 2. Western blot analysis of EIF6 expression in Hela (A), HepG2 (B), K562 (C) whole cell lysates.