

Datasheet for ABIN7307788

**anti-FKBP3 antibody****2** Images[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	FKBP3
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FKBP3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

## Product Details

Purpose:	Rabbit polyclonal antibody to FKBP3
Immunogen:	Recombinant full length protein of human FKBP3
Specificity:	Recognizes endogenous levels of FKBP3 protein.
Characteristics:	Rabbit polyclonal antibody to FKBP3
Purification:	The antibody was purified by immunogen affinity chromatography.

## Target Details

Target:	FKBP3
Alternative Name:	FKBP3 ( <a href="#">FKBP3 Products</a> )
Background:	FKBP25, Peptidyl-prolyl cis-trans isomerase FKBP3, PPIase FKBP3, 25 kDa FK506-binding protein, 25 kDa FKBP, FKBP-25, FK506-binding protein 3, FKBP-3, Immunophilin FKBP25,

## Target Details

Rapamycin-selective 25 kDa immunophilin, Rotamase

Gene ID: 2287

UniProt: [Q00688](#)

## Application Details

Application Notes: WB (1:500 - 1:2000), IF/IC (1:50 - 1:100)

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.


Expiry Date: 12 months

## Images



### Immunofluorescence

**Image 1.** Immunofluorescent analysis of FKBP3 staining in MCF7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Western Blotting

**Image 2.** Western blot analysis of FKBP3 expression in HeLa (A), MCF7 (B) whole cell lysates.