
# antibodies -online.com





## anti-MALT1 antibody

2 Images



Go to Product page

$\sim$							
	1//	$rac{1}{2}$	`\/	L	Р	1	٨

Quantity:	100 μL
Target:	MALT1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MALT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

#### **Product Details**

Purpose:	Rabbit polyclonal antibody to MALT1
Immunogen:	Recombinant full length protein of human MALT1
Specificity:	Recognizes endogenous levels of MALT1 protein.
Characteristics:	Rabbit polyclonal antibody to MALT1
Purification:	The antibody was purified by immunogen affinity chromatography.

## Target Details


Target:	MALT1
Alternative Name:	MALT1 (MALT1 Products)
Background:	MLT, Mucosa-associated lymphoid tissue lymphoma translocation protein 1, MALT lymphoma-associated translocation, Paracaspase

## **Target Details**

Gene ID:	10892, 240354
UniProt:	Q9UDY8, Q2TBA3
Pathways:	TCR Signaling, Fc-epsilon Receptor Signaling Pathway, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator
	of Immune Response, BCR Signaling, Ubiquitin Proteasome Pathway, S100 Proteins

Application Details	
Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months





#### **Immunofluorescence**

**Image 1.** Immunofluorescent analysis of MALT1 staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody

#### **Western Blotting**

**Image 2.** Western blot analysis of MALT1 expression in Raji (A), 293T (B) whole cell lysates.