



Datasheet for ABIN7308312
anti-SDCBP antibody



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	SDCBP
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SDCBP antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Purpose:	Rabbit polyclonal antibody to Syntenin
Immunogen:	Recombinant full length protein of human Syntenin
Specificity:	Recognizes endogenous levels of Syntenin protein.
Characteristics:	Rabbit polyclonal antibody to Syntenin
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	SDCBP
Alternative Name:	Syntenin (SDCBP Products)
Background:	MDA9, SYCL, Syntenin-1, Melanoma differentiation-associated protein 9, MDA-9, Pro-TGF-alpha cytoplasmic domain-interacting protein 18, TACIP18, Scaffold protein Pbp1, Syndecan-binding

Target Details

protein 1

Gene ID: 6386, 53378, 83841

UniProt: [O00560](#), [O08992](#), [Q9JI92](#)

Application Details

Application Notes: WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.


Expiry Date: 12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of Syntenin staining in SW480 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antib



Western Blotting

Image 2. Western blot analysis of Syntenin expression in SW480 (A), THP1 (B), Raji (C), mouse liver (D) whole cell lysates.