

Datasheet for ABIN730834

anti-KRT4 antibody (AA 256-360) (Cy7)



_					
	W	0	rv	10	W

Overview	
Quantity:	100 μL
Target:	KRT4
Binding Specificity:	AA 256-360
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KRT4 antibody is conjugated to Cy7
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)),
	Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human CK4
Isotype:	IgG
Cross-Reactivity:	Human, Rat
Predicted Reactivity:	Mouse,Dog,Cow,Horse,Rabbit
Predicted Reactivity: Purification:	Mouse,Dog,Cow,Horse,Rabbit Purified by Protein A.
Purification:	

Target Details

•	
Background:	Synonyms: CK 4, CK4, CYK 4, CK-4, CYK4, Cytokeratin4, Cytokeratin 4, Cytokeratin-4, FLJ31692,
	K4, Keratin 4, Keratin-4, Keratin type II cytoskeletal 4, Keratin4, KRT 4, KRT4, K2C4_HUMAN,
	Keratin, type II cytoskeletal 4, K4, Type-II keratin Kb4.
	Background: The protein encoded by this gene is a member of the keratin gene family. The type
	Il cytokeratins consist of basic or neutral proteins which are arranged in pairs of heterotypic
	keratin chains coexpressed during differentiation of simple and stratified epithelial tissues. This
	type II cytokeratin is specifically expressed in differentiated layers of the mucosal and
	esophageal epithelia with family member KRT13. Mutations in these genes have been
	associated with White Sponge Nevus, characterized by oral, esophageal, and anal leukoplakia.
	The type II cytokeratins are clustered in a region of chromosome 12q12-q13. [provided by
	RefSeq, Jul 2008]
Molecular Weight:	57kDa
Gene ID:	3851
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	ling	
1 1	ıaııu	11111	۰

Expiry Date:

12 months