# .-online.com antibodies

Datasheet for ABIN7308374 anti-SRPK1 antibody

3 Images



#### Overview

Quantity:	100 µL
Target:	SRPK1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SRPK1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunochromatography (IC)

# Product Details

Purpose:	Rabbit polyclonal antibody to SRPK1
Immunogen:	Recombinant full length protein of human SRPK1
Specificity:	Recognizes endogenous levels of SRPK1 protein.
Characteristics:	Rabbit polyclonal antibody to SRPK1
Purification:	The antibody was purified by immunogen affinity chromatography.


# Target Details

Target:	SRPK1
Alternative Name:	SRPK1 (SRPK1 Products)
Background:	SRSF protein kinase 1, SFRS protein kinase 1, Serine/arginine-rich protein-specific kinase 1, SR-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7308374 | 04/13/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
	protein-specific kinase 1
Gene ID:	6732, 20815
UniProt:	Q96SB4, 070551
Pathways:	Toll-Like Receptors Cascades
Application Details	
Application Notes:	WB (1:500 - 1:2000), IH (1:50 - 1:200), IF/IC (1:10 - 1:100)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months


## Images




#### Immunofluorescence

**Image 1.** Immunofluorescent analysis of SRPK1 staining in MCF7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7308374 | 04/13/2024 | Copyright antibodies-online. All rights reserved.





#### Immunohistochemistry

Image 2.

### Western Blotting

**Image 3.** Western blot analysis of SRPK1 expression in MCF7 (A), Hela (B), mouse spleen (C), rat testis (D) whole cell lysates.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7308374 | 04/13/2024 | Copyright antibodies-online. All rights reserved.