antibodies .- online.com







anti-UBE2H antibody





\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	UBE2H
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UBE2H antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Purpose:	Rabbit polyclonal antibody to UBE2H
Immunogen:	Recombinant full length protein of human UBE2H
Specificity:	Recognizes endogenous levels of UBE2H protein.
Characteristics:	Rabbit polyclonal antibody to UBE2H
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	UBE2H
Alternative Name:	UBE2H (UBE2H Products)
Background:	Ubiquitin-conjugating enzyme E2 H, UbcH2, Ubiquitin carrier protein H, Ubiquitin-conjugating enzyme E2-20K, Ubiquitin-protein ligase H

Target Details

Gene ID:	7328, 22214
UniProt:	P62256, P62257


Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of UBE2H staining in SW480 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Western Blotting

Image 2. Western blot analysis of UBE2H expression in SW480 (A), SKOV3 (B), mouse liver (C), rat lung (D) whole cell lysates.