

Datasheet for ABIN731210 anti-SLC8A1 antibody (PE-Cy5)



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μL
Target:	SLC8A1
Reactivity:	Human, Mouse, Rat, Dog, Cow, Guinea Pig, Chicken, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC8A1 antibody is conjugated to PE-Cy5
Application:	Western Blotting (WB), Flow Cytometry (FACS)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NCX1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Reactivity: Dog,Cow,Sheep,Pig,Horse,Chicken,Guinea Pig	
Purification:	Purified by Protein A.	

Target Details

Target:	SLC8A1
Alternative Name:	NCX1/SLC8A1 (SLC8A1 Products)
Background:	Synonyms: Na+/Ca2+exchanger 1, CNC, DKFZp779F0871, MGC119581, FLJ37694, FLJ43417,
	Na+/Ca2+ exchange protein 1, Na+/Ca2+ exchanger, NCX 1, NCX, SLC8A1, SLC8A1 protein ,

Sodium Calcium Exchanger, Sodium/calcium exchanger 1, Solute carrier family 8 member 1. Background: In cardiac myocytes, Ca(2+) concentrations alternate between high levels during contraction and low levels during relaxation. The increase in Ca(2+) concentration during contraction is primarily due to release of Ca(2+) from intracellular stores. However, some Ca(2+) also enters the cell through the sarcolemma(plasma membrane). During relaxation, Ca(2+) is sequestered within the intracellular stores. To prevent overloading of intracellular stores, the Ca(2+) that entered across the sarcolemma must be extruded from the cell. The Na(+)-Ca(2+) exchanger is the primary mechanism by which the Ca(2+) is extruded from the cell during relaxation. In the heart, the exchanger may play a key role in digitalis action. The exchanger is the dominant mechanism in returning the cardiac myocyte to its resting state following excitation.[supplied by OMIM].

Molecular Weight: 106kDa

Gene ID: 6546

Pathways: Myometrial Relaxation and Contraction

Application Details

Application Notes: FCM(1:100-500)

Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months