antibodies

Datasheet for ABIN7316758 ALPPL2 Protein (Biotin,His-Avi Tag)



Overview	
Quantity:	200 µg
Target:	ALPPL2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ALPPL2 protein is labelled with Biotin,His-Avi Tag.
Product Details	
Purpose:	Biotinylated Human ALPG / ALPPL2 Protein, His,Avitag™ (MALS verified)
Sequence:	lle 20 - Asp 503
Characteristics:	Biotinylated Human ALPG / ALPPL2 Protein,His,Avitag is expressed from human 293 cells (HEK293). It contains AA Ile 20 - Asp 503 (Accession # P10696-1).
Purity:	95,00 %
Endotoxin Level:	1.0 EU per µg
Grade:	MALS verified
Target Details	
Target:	ALPPL2
Alternative Name:	ALPG (ALPPL2 Products)
Background:	Synonyms:ALPG,GCAP,ALP-1,ALPPL2,PLAP-like,ALPPL,Alkaline phosphatase, germ cell

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7316758 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details

	type,Description:ALPPL2 is specifically highly expressed in naive pluripotent stem cells.
	Moreover, in naive state somatic cell reprogramming, naive-primed transformation and other
	systems, the use of the ALPPL2 promoter-driven fluorescent reporter system can specifically
	indicate the establishment or withdrawal of naive state pluripotency, thereby identifying ALPPL2
	as naive state pluripotent. specific cell surface markers. Some studies have found that
	knockout of ALPPL2 can specifically affect the establishment, stability and maintenance of
	naive state pluripotency, proving that ALPPL2 protein is a functional naive state surface
	molecular marker.
Molecular Weight:	56.2 kDa
Application Details	
Comment:	This protein carries a polyhistidine tag at the C-terminus, followed by an Avi tag (Avitag™). The
	protein has a calculated MW of 56.2 kDa. The protein migrates as 60-65 kDa under reducing (R)
	protein has a calculated MW of 56.2 kDa. The protein migrates as 60-65 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
Restrictions:	
Restrictions: Handling	condition (SDS-PAGE) due to glycosylation.
	condition (SDS-PAGE) due to glycosylation.
Handling	condition (SDS-PAGE) due to glycosylation. For Research Use only
Handling Format:	condition (SDS-PAGE) due to glycosylation. For Research Use only Lyophilized