
antibodies -online.com







MAX Protein (GST tag, His tag)



Overview

Background:

Target: MAX Origin: Human Source: Baculovirus infected Insect Cells Protein Type: Recombinant Purification tag / Conjugate: This MAX protein is labelled with GST tag,His tag. Product Details Purpose: Recombinant Human MAX Protein (His &GST Tag) Sequence: Met 1-Ser160 Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the Nterminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per µg of the protein as determined by the LAL method. Target Details Target: MAX Alternative Name: MAX (MAX Products)	Quantity:	50 μg
Source: Baculovirus infected Insect Cells Protein Type: Recombinant Purification tag / Conjugate: This MAX protein is labelled with GST tag,His tag. Product Details Purpose: Recombinant Human MAX Protein (His &GST Tag) Sequence: Met 1-Ser160 Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per µg of the protein as determined by the LAL method. Target Details Target: MAX	Target:	MAX
Protein Type: Recombinant Purification tag / Conjugate: This MAX protein is labelled with GST tag,His tag. Product Details Purpose: Recombinant Human MAX Protein (His &GST Tag) Sequence: Met 1-Ser160 Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per µg of the protein as determined by the LAL method. Target Details Target: MAX	Origin:	Human
Purification tag / Conjugate: This MAX protein is labelled with GST tag,His tag. Product Details Purpose: Recombinant Human MAX Protein (His &GST Tag) Sequence: Met 1-Ser160 Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per µg of the protein as determined by the LAL method. Target Details Target: MAX	Source:	Baculovirus infected Insect Cells
Product Details Purpose: Recombinant Human MAX Protein (His &GST Tag) Sequence: Met 1-Ser160 Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per μg of the protein as determined by the LAL method.	Protein Type:	Recombinant
Purpose: Recombinant Human MAX Protein (His &GST Tag) Sequence: Met 1-Ser160 Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per μg of the protein as determined by the LAL method.	Purification tag / Conjugate:	This MAX protein is labelled with GST tag,His tag.
Sequence: Met 1-Ser160 Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per μg of the protein as determined by the LAL method.	Product Details	
Characteristics: A DNA sequence encoding the human MAX (NP_002373) (Met1-Ser160) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per µg of the protein as determined by the LAL method. Target Details Target: MAX	Purpose:	Recombinant Human MAX Protein (His &GST Tag)
terminal polyhistidine-tagged GST tag at the N-terminus. Purity: > 85 % as determined by reducing SDS-PAGE. Endotoxin Level: < 1.0 EU per µg of the protein as determined by the LAL method. Target Details Target: MAX	Sequence:	Met 1-Ser160
Endotoxin Level: < 1.0 EU per µg of the protein as determined by the LAL method. Target Details Target: MAX	Characteristics:	
Target Details Target: MAX	Purity:	> 85 % as determined by reducing SDS-PAGE.
Target: MAX	Endotoxin Level:	< 1.0 EU per µg of the protein as determined by the LAL method.
	Target Details	
Alternative Name: MAX (MAX Products)	Target:	MAX
	Alternative Name:	MAX (MAX Products)

Background: MYC associated factor X contains 1 basic helix-loop-helix (bHLH) domain and

belongs to MAX family. It is highly expressed in the brain, heart and lung while lower levels are seen in the liver, kidney and skeletal muscle. MYC associated factor X can form homodimers

and heterodimers with other family members, which include Mad, Mxi1 and Myc. Myc is an oncoprotein implicated in cell proliferation, differentiation and apoptosis. The homodimers and heterodimers compete for a common DNA target site (the E box) and rearrangement among these dimer forms provides a complex system of transcriptional regulation. MYC associated factor X may also repress transcription via the recruitment of a chromatin remodeling complex containing H3 'Lys-9' histone methyltransferase activity. Multiple alternatively spliced transcript variants have been described for MYC associated factor X gene but the full-length nature for some of them is unknown.

Synonym: Protein Max, Class D Basic Helix-Loop-Helix Protein 4, bHLHd4, Myc-Associated Factor X, MAX, BHLHD4

Molecular Weight: 46.1 kDa

NCBI Accession: NP_002373

Pathways: Mitotic G1-G1/S Phases

Application Details

Restrictions: For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile 20 mM Tris, 500 mM NaCl, pH 8.0, 10 % glycerol
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.