# antibodies .- online.com







# **KEAP1 Protein (GST tag, His tag, AVI tag)**



Go to	Prod	uct	nage
00 10		act	page

$\sim$	
( )\/△	rview
$\cup$	1 410 44

Quantity:	100 μg
Target:	KEAP1
Origin:	Human
Source:	Baculovirus infected Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KEAP1 protein is labelled with GST tag,His tag,AVI tag.

### **Product Details**

Purpose:	Recombinant Human KEAP1/INRF2 Protein (His & GST & AVI Tag)
Sequence:	Gln 2-Cys 624
Characteristics:	A DNA sequence encoding the human KEAP1 (Q14145) (Gln 2-Cys 624) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus linked by the AVI tag.
Purity:	> 90 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.

# **Target Details**

Target:	KEAP1
Alternative Name:	KEAP1/INRF2 (KEAP1 Products)
Background:	Background: Kelch-like ECH-associated protein 1, also known as cytosolic inhibitor of Nrf2, Kelch-like protein 19, KEAP1 and INRF2, is a cytoplasm and nucleus protein which contains one
	BACK (BTB/Kelch associated) domain, one BTB (POZ) domain and six Kelch repeats. KEAP1 /

INRF2 is broadly expressed, with highest levels in skeletal muscle. KEAP1 / INRF2 is a key regulator of the NRF2 transcription factor, which transactivates the antioxidant response element (ARE) and upregulates numerous proteins involved in antioxidant defense. Under basal conditions, KEAP1 / INRF2 targets NRF2 for ubiquitination and proteolytic degradation and as such is responsible for the rapid turnover of NRF2. KEAP1 / INRF2 retains NFE2L2 / NRF2 in the cytosol. KEAP1 / INRF2 functions as substrate adapter protein for the E3 ubiquitin ligase complex formed by CUL3 and RBX1. It targets NFE2L2 / NRF2 for ubiquitination and degradation by the proteasome, thus resulting in the suppression of its transcriptional activity and the repression of antioxidant response element-mediated detoxifying enzyme gene expression. KEAP1 / INRF2 may also retain BPTF in the cytosol. It targets PGAM5 for ubiquitination and degradation by the proteasome.

Synonym: INRF2,KEAP-1,KLHL19

Molecular Weight: 99.2 kDa

Pathways: Maintenance of Protein Location

Q14145

## **Application Details**

Restrictions: For Research Use only

### Handling

UniProt:

Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile 20 mM Tris, 500 mM NaCl, 10 % glycerol, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.