## antibodies .- online.com





Datasheet for ABIN7317456 **SLAMF6 Protein (AA 1-226) (His tag)** 

Go to Product page

## Overview

Quantity:	100 μg
Target:	SLAMF6
Protein Characteristics:	AA 1-226
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This SLAMF6 protein is labelled with His tag.

## **Product Details**

Purpose:	Recombinant Human SLAMF6/Ly108 Protein (aa 1-226, His Tag)(Active)
Sequence:	Met 1-Met 226
Characteristics:	A DNA sequence encoding the human SLAMF6 (Q96DU3-1) extracellular domain (Met 1-Met 226) was expressed, with a polyhistidine tag at the C-terminus.
Purity:	> 90 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.
Biological Activity Comment:	Measured by its ability to bind biotinylated recombinant human SH2D1A in a functional ELISA.

Target: SLAMF6

**Target Details** 

## **Target Details**

Alternative Name:	SLAMF6/Ly108 (SLAMF6 Products)
Background:	Background: SLAM family member 6, also known as Activating NK receptor, NK-T-B-antigen,
	NTB-A, SLAMF6, KALI and Ly108, is a single-pass type I membrane protein which belongs to
	the CD2 subfamily of the immunoglobulin superfamily. SLAMF6 / Ly108 contains one Ig-like
	(immunoglobulin-like) domain. It is expressed by all (resting and activated) natural killer cells
	(NK), T- and B-lymphocytes. SLAMF6 / Ly108 triggers cytolytic activity only in natural killer cells
	(NK) expressing high surface densities of natural cytotoxicity receptors. SLAMF6 / Ly108 is a
	homodimer. It interacts with PTN6 and, upon phosphorylation, with PTN11 and SH2D1A/SAP.
	SLAMF6 / Ly108 undergoes tyrosine phosphorylation and associates with the Src homology 2
	domain-containing protein (SH2D1A) as well as with SH2 domain-containing phosphatases
	(SHPs). It may function as a coreceptor in the process of NK cell activation. SLAMF6 / Ly108
	can also mediate inhibitory signals in NK cells from X-linked lymphoproliferative patients.
	Synonym: SLAM Family Member 6, Activating NK Receptor, NK-T-B-Antigen, NTB-A, CD352,
	SLAMF6, KALI, Ly108, NTBA, SF2000
Molecular Weight:	24.3 kDa
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.