

Datasheet for ABIN7317492

STXBP1 Protein (GST tag,His tag)



[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	STXBP1
Origin:	Human
Source:	Baculovirus infected Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This STXBP1 protein is labelled with GST tag,His tag.

Product Details

Purpose:	Recombinant Human STXBP1/UNC18A Protein (His & GST Tag)
Sequence:	Met 1-Ser 594
Characteristics:	A DNA sequence encoding the human STXBP1 isoform 1 (P61764-1) (Met 1-Ser 594) was fused with the N-terminal polyhistidine-tagged GST tag at the N-terminus.
Purity:	> 85 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.

Target Details

Target:	STXBP1
Alternative Name:	STXBP1/UNC18A (STXBP1 Products)
Background:	Background: Syntaxin-binding protein 1, also known as N-Sec1, Protein unc-18 homolog 1, MUNC18-1 and STXBP1, is a peripheral membrane protein which belongs to the STXBP / unc-18 / SEC1 family. STXBP1 is an evolutionally conserved neuronal Sec1/Munc-18 (SM) protein

Target Details

that is essential in synaptic vesicle release in several species. It may participate in the regulation of synaptic vesicle docking and fusion, possibly through interaction with GTP-binding proteins. STXBP1 is essential for neurotransmission and binds syntaxin, a component of the synaptic vesicle fusion machinery probably in a 1:1 ratio. It can interact with syntaxins 1, 2, and 3 but not syntaxin 4. STXBP1 may also play a role in determining the specificity of intracellular fusion reactions. Defects in STXBP1 are the cause of epileptic encephalopathy early infantile type 4 (EIEE4). Affected individuals have neonatal or infantile onset of seizures, suppression-burst pattern on EEG, profound mental retardation, and MRI evidence of hypomyelination.

Synonym: MUNC18-1;NSEC1;P67;RBSEC1;UNC18

Molecular Weight: 95.4 kDa

Pathways: [Synaptic Vesicle Exocytosis](#), [Dicarboxylic Acid Transport](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Please refer to the printed manual for detailed information.

Buffer: Lyophilized from sterile 20 mM Tris, 500 mM NaCl, 0.5 mM PMSF, 10 % glycerol, pH 8.0

Storage: 4 °C,-20 °C,-80 °C

Storage Comment: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.