

Datasheet for ABIN7317697

CNTF Receptor alpha Protein (His tag)



Overview

Quantity:	100 μg
Target:	CNTF Receptor alpha (CNTFR)
Origin:	Human
Source:	Baculovirus infected Insect Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CNTF Receptor alpha protein is labelled with His tag.

Product Details

Purpose:	Recombinant Human CNTFR/CNTFR-alpha Protein (His Tag)(Active)
Sequence:	Met 1-Pro 346
Characteristics:	The amino acids sequence corresponding to (Met 1-Pro 346) of human CNTFR (NP_001833.1) was fused with a polyhistidine tag at the C-terminus.
Purity:	> 98 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.
Biological Activity Comment:	Measured by its binding ability in a functional ELISA. Immobilized human CTNFR at 10 μ g/ml (100 μ l/well) can bind biotinylated human CNTF with a linear ranger of 1.28-160 ng/ml.

Target Details

Target: CNTF Receptor alpha (CNTFR)	
-------------------------------------	--

Target Details

Alternative Name:	CNTFR/CNTFR-alpha (CNTFR Products)
Background:	Background: Ciliary neurotrophic factor(CNTF) is a member of the cytokine family. It is a
	polypeptide hormone that have functions in promoting neurotransmitter synthesis and neurite
	outgrowth in certain neuronal populations. It's actions appear to be restricted to the nervous
	system. Ciliary neurotrophic factor(CNTF) has biological effects through the activation of a
	multi-subunit receptor complex, consisting of an extracelluar CNTF binding subunit(CNTFa)
	and two transmembrane signal transduction proteins: glycoprotein gp130 and LIF receptor.
	CNTF is considered as a potent survival factor of neurons and oligodendrocytes and may be
	relevant in reducing tissue destruction during inflammatory attacks. CNTF is also a survival
	factor for neurons of the peripheral sensory sympathetic, and ciliary ganglia. It has been
	reported that CNTF could be an agent that has therapeutic potential and possibly induces
	differentiation of large multipolar ganglionic phenotype in a subset of progenitors.
	Synonym: CNTFR;MGC1774
Molecular Weight:	36 kDa
NCBI Accession:	NP_001833
Pathways:	JAK-STAT Signaling, Feeding Behaviour
Application Details	
Restrictions:	For Research Use only
Handling	
-ormat:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile 50 mM Tris, 100 mM NaCl, pH 8.0
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.