

## Datasheet for ABIN7318048

### GPC5 Protein (His tag)

[Go to Product page](#)

#### Overview

Quantity:	100 µg
Target:	GPC5
Origin:	Human
Source:	Baculovirus infected Insect Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This GPC5 protein is labelled with His tag.

#### Product Details

Purpose:	Recombinant Human Glypican 5/GPC5 Protein (His Tag)(Active)
Sequence:	Met 1-Thr 554
Characteristics:	A DNA sequence encoding the human GPC5 (NP_004457.1) (Met 1-Thr 554) was fused with a polyhistidine tag at the C-terminus.
Purity:	> 92 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.
Biological Activity Comment:	Measured by its binding ability in a functional ELISA. Immobilized human GPC5 at 5 µg/ml (100 µl/well) can bind human bFGF with a linear ranger of 0.156-2.5 ng/ml.

#### Target Details

Target:	GPC5
---------	------

## Target Details

Alternative Name:	Glypican 5/GPC5 ( <a href="#">GPC5 Products</a> )
Background:	<p>Background: Glypican-5 (GPC5), is a cell membrane protein which belongs to the glypican family. The glypicans compose a family of glycosylphosphatidylinositol-anchored heparan sulfate proteoglycans that may play a role in the control of cell division and growth regulation. So far, six members (Glypican-1/GPC1, Glypican-2/GPC2, Glypican-3/GPC3, Glypican-4/GPC4, Glypican-5/GPC5, Glypican-6/GPC6) of this family are known in vertebrates. In adult, Glypican-5 is primarily expressed in the brain. It is also detected in fetal brain, lung and liver. Glypican-5 enhances the intracellular signaling of FGF2 and HGF. It alters the cellular distribution of FGF2. The properties of Glypican-5 make it an attractive target for therapeutic intervention in rhabdomyosarcomas and other tumors that amplify and/or overexpress its gene. Glypican-5 is over-expressed in lymphoma cell lines that had shown amplification. It is a likely target for amplification, and that over-expression of GPC5 may contribute to development and/or progression of lymphomas and other tumors.</p> <p>Synonym: GPC5,bA93M14.1,glypican proteoglycan 5,glypican-5</p>
Molecular Weight:	60.5 kDa
NCBI Accession:	<a href="#">NP_004457</a>
Pathways:	<a href="#">Glycosaminoglycan Metabolic Process</a>

## Application Details

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile 50 mM Tris, 100 mM NaCl, pH 8.0
Storage:	4 °C, -20 °C, -80 °C
Storage Comment:	<p>Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at &lt; -20°C for 3 months.</p>