

Datasheet for ABIN7318596 **IL1R1 Protein (Fc Tag)**



Overview

Target:

Alternative Name:

Background:

Quantity:	50 μg
Target:	IL1R1
Origin:	Human
Source:	Human Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL1R1 protein is labelled with Fc Tag.
Product Details	
Purpose:	Recombinant Human IL1R1/CD121a Protein (Fc Tag)
Sequence:	Leu18-Thr332
Characteristics:	Recombinant Human Interleukin-1 receptor type 1/IL-1R-1 is produced by our Mammalian expression system and the target gene encoding Leu18-Thr332 is expressed with a Fc tag at the C-terminus.
Purity:	> 95 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.
Target Details	

Background: Interleukin 1 receptor, type I (IL-1R1) is an interleukin receptor that belongs to the

interleukin-1 receptor family. IL-1R1 is an 80 kDa transmembrane protein that is expressed

IL1R1

IL1R1/CD121a (IL1R1 Products)

predominantly by T cells, fibroblasts, and endothelial cells. This gene along with IL1R2, IL1RL2, and IL1RL1 form a cytokine receptor gene cluster in a region mapped to chromosome 2q12. IL-1R1 is an important mediator involved in many cytokine induced immune and inflammatory responses. It binds to interleukin-1 associates with the corecptor IL1RAP to form the high affinity interleukin-1 receptor complex which mediates interleukin-1-dependent activation of NF-kappa-B, MAPK and other pathways. The signaling involves the recruitment of adapter molecules such as TOLLIP, MYD88, and IRAK1 or IRAK2 via the respective TIR domains of the receptor/coreceptor subunits. It also binds ligands with comparable affinity and binding of antagonist IL1RN prevents association with IL1RAP to form a signaling complex. An IL1 receptor accessory protein that can heterodimerize with the Type I receptor in the presence of IL1α or IL1β but not IL1ra, was identified. Recombinant IL1 soluble receptor Type I is a potent antagonist of IL1 action.

Synonym: CD121A,D2S1473,IL-1 RI,IL-1R-alpha,IL-1R1,IL1R,IL1RA,P80,Interleukin-1 receptor type 1, IL-1R-1, IL-1RT-1, IL-1RT1, CD121 antigen-like family member A, Interleukin-1 receptor alpha, IL-1R-alpha

Molecular Weight:	62.9 kDa

NF-kappaB Signaling, Carbohydrate Homeostasis, Cancer Immune Checkpoints

Application Details

Restrictions: For Research Use only

P14778

Handling

UniProt:

Pathways:

Format:	Lyophilized	
Reconstitution:	Please refer to the printed manual for detailed information.	
Buffer:	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.	
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted	
	samples are stable at < -20°C for 3 months.	