

Datasheet for ABIN7318986

RBP1 Protein



()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Quantity:	50 μg
Target:	RBP1
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant

Product Details

Purpose:	Recombinant Human Retinol-Binding Protein 1/RBP1 Protein
Sequence:	Pro2-Gln135
Characteristics:	Recombinant Human Retinol-binding Protein 1 is produced by our E.coli expression system and the target gene encoding Pro2-Gln135 is expressed.
Purity:	> 95 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.

Target Details

Target:	RBP1	
Alternative Name:	RBP1 (RBP1 Products)	
Background:	Background: Retinol-binding proteins (RBP) are a family of proteins with diverse functions. are carrier proteins that bind retinol. Retinol and retinoic acid play crucial roles in the	
	modulation of gene expression and overall development of an embryo. However, deficit or excess of either one of these substances can cause early embryo mortality or developmental	

Target Details

malformations. Regulation of transport and metabolism of retinol necessary for a successful pregnancy is accomplished via RBP. Retinol binding proteins have been identified within the uterus, embryo, and extraembryonic tissue of the bovine, ovine, and porcine, clearly indicating that RBP plays a role in proper retinol exposure to the embryo and successful transport at the maternal-fetal interface.

Synonym: Retinol-binding protein 1, Cellular retinol-binding protein, CRBP, Cellular retinol-binding protein I, CRBP-I, RBP1, CRBP1

Molecular Weight:

15.7 kDa

UniProt:

P09455

Application Details

Comment:	14 kDa
Comment:	14 kDa

Restrictions: For Research Use only

Handling

Format:	Lyophilized	
Reconstitution:	Please refer to the printed manual for detailed information.	
Buffer:	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.	
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted	
	samples are stable at < -20°C for 3 months.	