

## Datasheet for ABIN7319437 Thrombospondin 1 Protein (THBS1) (His tag)



Overview	
Quantity:	50 µg
Target:	Thrombospondin 1 (THBS1)
Origin:	Human
Source:	Human Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Thrombospondin 1 protein is labelled with His tag.
Product Details	
Purpose:	Recombinant Human Thrombospondin-1/THBS1 Protein (His Tag)(Active)
Sequence:	Asn19-Pro1170
Characteristics:	Recombinant Human Thrombospondin-1 is produced by our Mammalian expression system and the target gene encoding Asn19-Pro1170 is expressed with a 10His tag at the C-terminus.
Purity:	> 70 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per $\mu$ g as determined by the LAL method.
Biological Activity Comment:	Immobilized Rhesus macaque CD47-Fc(Cat: PKSQ050076) at 10µg/ml(100 µl/well) can bind Human THBS1-His.
Target Details	
Target:	Thrombospondin 1 (THBS1)

Alternative Name:	Thrombospondin-1/THBS1 (THBS1 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7319437 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

## Target Details

Background:	Background: Thrombospondin-1 (TSP-1) is a 150-180 kDa calcium-sensitive protein that is
	secreted as a disulfide-linked homotrimer. TSP-1 regulates a wide range of cellular functions
	including their interactions with other cells and with the extracellular matrix (ECM). TSP-1
	contains an N-terminal Laminin G-like globular domain, an extended central region with one
	vWFC domain, 3 TSP type 1domains, 2 EGF-like domains, and 8 TSP type3 domains, and a
	globular TSP C-terminal domain. Distinct regions of TSP-1 have been associated with binding to
	particular ECM or cellular molecules. TSP-1 counteracts the angiogenic, hypotensive, and
	antithrombotic effects of nitric oxide (NO). It binds and neutralizes VEGF, blocks VEGF R2
	signaling on vascular endothelial cells(EC), and destabilizes adhesive contacts between EC.
	TSP-1 also plays an important role in wound repair and tissue fibrosis by binding latent TGF-
	beta and inducing release of the active cytokine from the latency associated peptide (LAP).
	Synonym: Thrombospondin-1, THBS1, TSP, TSP1
Molecular Weight:	129.2 kDa
UniProt:	P07996

Pathways: Autophagy			
	Pathways:	Autophagy	

## Application Details

Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.