

Datasheet for ABIN7319838

LAIR2 Protein (Fc Tag)[Go to Product page](#)**1** Image

Overview

Quantity:	50 µg
Target:	LAIR2
Origin:	Human
Source:	Human Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LAIR2 protein is labelled with Fc Tag.

Product Details

Purpose:	Recombinant Human Leukocyte-associated Immunoglobulin-like Receptor 2/ LAIR2/CD306 (C-Fc)
Sequence:	Gln22-Pro152
Characteristics:	Recombinant Human Leukocyte-Associated Immunoglobulin-Like Receptor 2 is produced by our Mammalian expression system and the target gene encoding Gln22-Pro152 is expressed with a Fc tag at the C-terminus.
Purity:	>95 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.

Target Details

Target:	LAIR2
Alternative Name:	Leukocyte-associated Immunoglobulin-like Receptor 2/ LAIR2/CD306 (LAIR2 Products)
Background:	Background: Leukocyte-Associated Immunoglobulin-Like Receptor 2 (LAIR2) is a secreted, 131

Target Details

amino acid protein that contains one Ig-like C2 type domain, making it a member of the Ig superfamily. When compared to LAIR-1, its transmembrane counterpart, it shares 83 % amino acid identity across the signal sequence and extracellular domains, although one is secreted and one is membrane-bound, the two LAIR proteins are thought to have arisen from a common gene ancestor and appear to share similar adhesion profiles. This suggests that LAIR-2 may compete with LAIR-1 for ligand binding. A 114 amino acid alternate splice form of LAIR-2 is truncated at the C terminus, but retains the entire Ig domain. The expression profile of these splice forms, and the presence of orthologs in other species, have not been reported.

Synonym: Leukocyte-Associated Immunoglobulin-Like Receptor 2, LAIR-2, CD306, LAIR2

Molecular Weight: 41 kDa

UniProt: [Q6ISS4](#)

Application Details

Restrictions: For Research Use only

Handling


Format: Lyophilized

Reconstitution: Please refer to the printed manual for detailed information.

Buffer: Lyophilized from a 0.2 µm filtered solution of 20 mM PB, 150 mM NaCl, pH 7.2.

Storage: 4 °C, -20 °C, -80 °C

Storage Comment: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.