.-online.com antibodies

Datasheet for ABIN7319895 TACSTD2 Protein (Fc Tag)

2 Images



Overview

Quantity:	50 µg
Target:	TACSTD2
Origin:	Human
Source:	Human Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This TACSTD2 protein is labelled with Fc Tag.


Product Details

Purpose:	Recombinant Human Tumor-associated Calcium Signal Transducer 2/TROP-2 (248AA, C-Fc)	
Sequence:	His27-Thr274	
Characteristics:	Recombinant Human Tumor-associated Calcium Signal Transducer 2 is produced by our	
	Mammalian expression system and the target gene encoding His27-Thr274 is expressed with a	
	Fc tag at the C-terminus.	
Purity:	>95 % as determined by reducing SDS-PAGE.	
Endotoxin Level:	< 1.0 EU per μ g as determined by the LAL method.	
Biological Activity Comment:	Immobilized Human TROP-2-Fc(Cat#C07Y) at 2µg/ml (100 µl/well) can bind Anti-Human TROP-	
	2 mAb*.*: Biotinylated by NHS-biotin prior to testing. The ED50 of Anti-Human TROP-2 mAb* is	
	20.54 ng/ml.	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7319895 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details

Target:	TACSTD2	
Alternative Name:	Tumor-associated Calcium Signal Transducer 2/TROP-2 (TACSTD2 Products)	
Background:	Background: Tumor associated calcium signal transducer 2 (TACSTD2, TROP-2) is a type I cell surface glycoprotein that is highly expressed on human carcinomas. It was originally identified as an antigen present on human gastrointestinal tumors and is the second of two members of this family. Human and mouse TROP-2 share 87 % amino acid (aa) similarity. TROP-2 is capable of transducing an intracellular calcium signal and may play a role in tumor growth. It also has adhesive functions. Synonym: Tumor-associated calcium signal transducer 2, Membrane component chromosome 1 surface marker 1, Cell surface glycoprotein Trop-2, TACSTD2, TROP2	
Molecular Weight:	54.8 kDa	
UniProt:	P09758	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Please refer to the printed manual for detailed information.	
Buffer:	Lyophilized from a 0.2 μ m filtered solution of PBS, pH 7.4.	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.	



Western Blotting		
Image 1.		

ELIS	A

Image 2.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7319895 | 09/09/2023 | Copyright antibodies-online. All rights reserved.