

Datasheet for ABIN7319956

CXCR4 Protein (His tag)[Go to Product page](#)**1** Image

Overview

Quantity:	100 µg
Target:	CXCR4
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CXCR4 protein is labelled with His tag.

Product Details

Purpose:	Recombinant Human CXCR4 (C28A) Protein (His Tag)
Sequence:	1M-38K
Characteristics:	A DNA sequence encoding the human CXCR4 (C28A) (1M-38K) was expressed with a GST tag at the N-terminus.
Purity:	>95 % as determined by reducing SDS-PAGE.

Target Details

Target:	CXCR4
Alternative Name:	CXCR4 (CXCR4 Products)
Background:	Background: Receptor for the C-X-C chemokine CXCL12/SDF-1 that transduces a signal by increasing intracellular calcium ions levels and enhancing MAPK1/MAPK3 activation. Acts as a receptor for extracellular ubiquitin, leading to enhance intracellular calcium ions and reduce cellular cAMP levels. Involved in haematopoiesis and in cardiac ventricular septum formation.

Target Details

Plays also an essential role in vascularization of the gastrointestinal tract, probably by regulating vascular branching and/or remodeling processes in endothelial cells. Could be involved in cerebellar development. In the CNS, could mediate hippocampal-neuron survival. Acts as a coreceptor (CD4 being the primary receptor) for HIV-1 X4 isolates and as a primary receptor for some HIV-2 isolates. Promotes Env-mediated fusion of the virus.

Synonym: C-X-C chemokine receptor type 4, CD184, FB22, Fusin, HM89, HSY3RR, LAP3, LCR1, NPYR, SDF 1 receptor, WHIM

Molecular Weight: 31.2kDa

UniProt: [P61073](#)

Pathways: [Regulation of Cell Size](#), [CXCR4-mediated Signaling Events](#)

Application Details

Restrictions: For Research Use only

Handling


Format: Lyophilized

Reconstitution: Please refer to the printed manual for detailed information.

Buffer: Lyophilized from sterile potassium phosphate, pH 7.4

Storage: 4 °C,-20 °C,-80 °C

Storage Comment: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.