

Datasheet for ABIN7320049

ART4 Protein (Fc Tag)[Go to Product page](#)**1** Image

Overview

| | |
|-------------------------------|--|
| Quantity: | 100 µg |
| Target: | ART4 |
| Origin: | Mouse |
| Source: | HEK-293 Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This ART4 protein is labelled with Fc Tag. |

Product Details

| | |
|------------------|---|
| Purpose: | Recombinant Mouse ART4/CD297 Protein (Fc Tag) |
| Sequence: | Met1-Lys263 |
| Characteristics: | A DNA sequence encoding the mouse Art4 (NP_080915.1) (Met1-Lys263) was expressed, fused with the Fc region of human IgG1 at the C-terminus. |
| Purity: | > 91 % as determined by SDS-PAGE |
| Endotoxin Level: | < 1.0 EU per µg of the protein as determined by the LAL method. |

Target Details

| | |
|-------------------|---|
| Target: | ART4 |
| Alternative Name: | ART4/CD297 (ART4 Products) |
| Background: | Background: ADP-ribosyltransferase 4 (Dombrock blood group), also known as Mono-ADP-ribosyltransferase 4(ART4), Dombrock blood group carrier molecule and CD297, is a protein that contains a mono-ADP-ribosylation (ART) motif. It is a member of the ADP- |

Target Details

ribosyltransferase gene family but enzymatic activity has not been demonstrated experimentally. ADP-ribosyltransferase catalyzes the ADP-ribosylation of arginine residues in proteins. Mono-ADP-ribosylation is a posttranslational modification of proteins that is interfered with by a variety of bacterial toxins including cholera, pertussis, and heat-labile enterotoxins of E. coli. ART4 could be detected on HEL cells and erythrocytes by FACS analysis while it was absent from activated monocytes, despite the presence of ART4 mRNA in these cells. ART is also known as the carrier of the Dombrock blood group alloantigens (Do) which is glycosylphosphatidylinositol-anchored to the erythrocyte membrane.

Synonym: 4432404K01Rik,ARTC4,DO,DOK1

Molecular Weight: 53.7 kDa

NCBI Accession: [NP_080915](#)

Application Details

Restrictions: For Research Use only

Handling


Format: Lyophilized

Reconstitution: Please refer to the printed manual for detailed information.

Buffer: Lyophilized from sterile PBS, pH 7.4

Storage: 4 °C,-20 °C,-80 °C

Storage Comment: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.