antibodies .- online.com







CTSA Protein (His tag)





\sim						
	1//	Д	r۱	/1	\triangle	٨

Quantity:	50 µg
Target:	CTSA
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CTSA protein is labelled with His tag.

Product Details

Purpose:	Recombinant Mouse Cathepsin A/CTSA Protein (His Tag)	
Sequence:	Met 1-Tyr 474	
Characteristics:	A DNA sequence encoding the mouse CTSA (P16675-1) (Met 1-Tyr 474) was expressed, with a C-terminal polyhistidine tag.	
Purity:	> 96 % as determined by SDS-PAGE	
Endotoxin Level:	< 1.0 EU per µg of the protein as determined by the LAL method.	

Target Details

Target:	CTSA
Alternative Name:	Cathepsin A/CTSA (CTSA Products)
Background:	Background: Lysosomal carboxypeptidase, cathepsin A (protective protein, CathA), is a component of the lysosomal multienzyme complex along with beta-galactosidase (GAL) and sialidase Neu1, where it activates Neu1 and protects GAL and Neu1 against the rapid

proteolytic degradation. Cathepsin A is a multicatalytic enzyme with deamidase and esterase in addition to carboxypeptidase activities. It was recently identified in human platelets as deamidase. In vitro, it hydrolyzes a variety of bioactive peptide hormones including tachykinins, suggesting that extralysosomal cathepsin A plays a role in regulation of bioactive peptide functions. It is a member of the alpha/beta hydrolase fold family and has been suggested to share a common ancestral relationship with other alpha/beta hydrolase fold enzymes, such as cholinesterases. Cathepsin A defects are linked to multiple forms of Galactosialidosis with a combined secondary deficiency of beta-galactosidase and neuraminidase. Cathepsin A is a key molecule in the onset of galactosialidosis and also highlight the therapeutic acts in vivo as an endothelin-1-inactivating enzyme and strongly confirm a crucial role of this enzyme in effective elastic fiber formation.

Synonym: AU019505,PPCA,Ppgb

Molecular Weight:

52.8 kDa


Application Details

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Reconstitution:	Please refer to the printed manual for detailed information.	
Buffer:	Lyophilized from sterile 25 mM Tris, 0.3M NaCl, pH 8.0	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.	
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted	
	samples are stable at < -20°C for 3 months.	



Western Blotting

Image 1.