# antibodies -online.com





# SCARB1 Protein (His tag,Fc Tag)





Go to Product page

	rv/		

Quantity:	50 μg
Target:	SCARB1
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SCARB1 protein is labelled with His tag,Fc Tag.

### **Product Details**

Purpose:	Recombinant Mouse SR-BI/CD36L1 Protein (His & Fc Tag)
Sequence:	Pro 33-Val 440
Characteristics:	A DNA sequence encoding the mature form of mouse SRB1 (NP_058021.1) extracellular domain (Pro 33-Val 440) was fused with the C-terminal polyhistidine-tagged Fc region of human IgG1 at the C-terminus.
Purity:	> 95 % as determined by SDS-PAGE
Endotoxin Level:	$<$ 1.0 EU per $\mu g$ of the protein as determined by the LAL method.

### **Target Details**

Target:	SCARB1
Alternative Name:	SR-BI/CD36L1 (SCARB1 Products)
Background:	Background: Scavenger receptor class B, member 1 (SCARB1), also known as CD36L1, is a
	member of the scavenger receptor family. SCARB1 is expressed primarily in liver and non

placental steroidogenic tissues, and predominantly localized to cholesterol and sphingomyelinenriched domains within the plasma membrane. SCARB1 is proposed as a receptor for different ligands such as phospholipids, cholesterol ester, lipoproteins, phosphatidylserine and apoptotic cells, and is involved in a wide variety of physilogical processes. As a key component in the reverse cholesterol transport pathway, SCARB1 binds high density lipoproteins (HDLs) and mediates selective cholesterol uptake by a mechanism distinct from the LDL pathway. High density lipoproteins (HDLs) play a critical role in cholesterol metabolism and their plasma concentrations are inversely correlated with risk for atherosclerosis. SCARB1 may thus serve as a useful marker that predicts variation in baseline lipid levels and postprandial lipid response. The mouse SCARB1 has been shown to exert actions in determining the levels of plasma lipoprotein cholesterol and the accumulation of cholesterol stores in the adrenal gland. Synonym: Al120173;CD36;Cd36l1;Cla-1;Cla1;D5Ertd460e;Hdlq1;Hlb398;mSR-BI;SR-B1;SR-BI;SR-BI;SRBI

Molecular Weight: 74 kDa

NCBI Accession: NP\_058021

Pathways: Cellular Response to Molecule of Bacterial Origin, Hepatitis C, Lipid Metabolism, SARS-CoV-2


Protein Interactome

#### **Application Details**

Restrictions: For Research Use only

#### Handling

Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.



## **Western Blotting**

Image 1.