# antibodies .- online.com





# ACVR2B Protein (His tag,Fc Tag)



Image



Go to Product page

#### Overview


Quantity:	100 μg
Target:	ACVR2B
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This ACVR2B protein is labelled with His tag,Fc Tag.

#### **Product Details**

1 Toddot Details	
Purpose:	Recombinant Mouse Activin Receptor 2B/ACVR2B Protein (His & Fc Tag)(Active)
Sequence:	Met 1-Thr 134
Characteristics:	A DNA sequence encoding the extracellular domain (Met 1-Thr 134) of mouse ACVR2B (NP_031423.1) precursor was fused with the Fc region of human IgG1 at the C-terminus.
Purity:	> 97 % as determined by SDS-PAGE
Endotoxin Level:	< 1.0 EU per µg of the protein as determined by the LAL method.
Biological Activity Comment:	1. Measured by its ability to bind biotinylated Human INHBA-his in functional ELISA.2.  Measured by its ability to bind biotinylated mouse INHBA-his in functional ELISA.3. Measured by its ability to neutralize Activin-mediated inhibition on MPC11 cell proliferation. The ED50 for this effect is typically 10-50 ng/mL in the presence of 10 ng/mL recombinant Activin A.

## **Target Details**

Target:	ACVR2B
Alternative Name:	Activin Receptor 2B/ACVR2B (ACVR2B Products)
Background:	Background: ACVR2A and ACVR2B are two activin type II receptors. ACVR2B is integral to the activin and myostatin signaling pathway. Ligands such as activin and myostatin bind to ACVR2A and ACVR2B. Myostatin, a negative regulator of skeletal muscle growth, is regarded a a potential therapeutic target and binds to ACVR2B effectively, and to a lesser extent, to ACVR2A. The structure of human ACVR2B kinase domain in complex with adenine establishes the conserved bilobal architecture consistent with all other catalytic kinase domains. Haplotype structure at the ACVR2B and follistatin loci may contribute to interindividual variation in skeleta muscle mass and strength. Defects in ACVR2B are a cause of left-right axis malformations. Synonym: 4930516B21Rik,ActRIIB
Molecular Weight:	41 kDa
NCBI Accession:	NP_031423
Pathways:	Hormone Transport, Cancer Immune Checkpoints
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.



## **Western Blotting**

Image 1.