antibodies -online.com





RBP4 Protein (His tag)





Go to Product page

Overview


Quantity:	100 μg
Target:	RBP4
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This RBP4 protein is labelled with His tag.
Product Details	

Purpose:	Recombinant Mouse RBP4 Protein (His Tag)(Active)
Sequence:	Met 1-Leu 201
Characteristics:	A DNA sequence encoding the mouse RBP4 (NP_035385.1) (Met 1-Leu 201) was fused with a polyhistidine tag at the C-terminus.
Purity:	> 95 % as determined by SDS-PAGE
Endotoxin Level:	< 1.0 EU per µg of the protein as determined by the LAL method.
Biological Activity Comment:	Measured by its ability to bind alltrans retinoic acid. The binding of retinoic acid results in the quenching of Trp fluorescence in RBP4. The 50% binding concentration (BC50) is >0.5 M

Target Details

Target Details

Alternative Name:	RBP4 (RBP4 Products)
Background:	Background: Retinol-binding protein 4 (RBP4) is the specific carrier for retinol (also known as
	vitamin A), and is responsible for the conversion of unstable and insoluble retinol in aqueous
	solution into stable and soluble complex in plasma through their tight interaction. As a member
	of the lipocalin superfamily, RBP4 containing a $\beta\text{-}\textsc{barrel}$ structure with a well-defined cavity is
	secreted from the liver, and in turn delivers retinol from the liver stores to the peripheral tissues
	In plasma, the RBP4-retinol complex interacts with transthyretin (TTR), and this binding is
	crucial for preventing RBP4 excretion through the kidney glomeruli. RBP4 expressed from an
	ectopic source efficiently delivers retinol to the eyes, and its deficiency affects night vision
	largely. Recently, RBP4 as an adipokine, is found to be expressed in adipose tissue and
	correlated with obesity, insulin resistance (IR) and type 2 diabetes (T2DM).
	Synonym: Rbp-4
Molecular Weight:	22.8 kDa
NCBI Accession:	NP_035385
Pathways:	Regulatory RNA Pathways, Positive Regulation of Peptide Hormone Secretion, Carbohydrate
	Homeostasis, Production of Molecular Mediator of Immune Response
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.