antibodies -online.com





AXL Protein (His tag,Fc Tag)



Image



Go to Product page

\sim			
	$ \backslash / \square $	r\/I	\square

Quantity:	100 μg	
Target:	rget: AXL	
Origin:	Mouse	
Source:	HEK-293 Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This AXL protein is labelled with His tag,Fc Tag.	
Product Details		
Purpose:	Recombinant Mouse Axl Kinase Protein (His & Fc Tag)	
Sequence:	Met 1-Pro 443	
Characteristics:	A DNA sequence encoding the extracellular domain (Met 1-Pro 443) of mouse AXL (NP_033491.2) precursor was fused with the C-terminal polyhistidine-tagged Fc region of human IgG1 at the C-terminus.	
Purity:	> 90 % as determined by SDS-PAGE	
Endotoxin Level:	< 1.0 EU per µg of the protein as determined by the LAL method.	
Target Details		
Target:	AXL	
Alternative Name:	e Name: Axl Kinase (AXL Products)	
Background:	Background: Axl receptor tyrosine kinase, together with Tyro3 and Mer, constitute the TAM family of receptor tyrosine kinases. In the nervous system, Axl and its ligand Growth-arrest-	

specific protein 6 (Gas6) are expressed on multiple cell types. Axl functions in dampening the immune response, regulating cytokine secretion, clearing apoptotic cells and debris, and maintaining cell survival. Axl is upregulated in various disease states, such as in the cuprizone toxicity-induced model of demyelination and in multiple sclerosis (MS) lesions, suggesting that it plays a role in disease pathogenesis. Axl expression correlates with poor prognosis in several cancers. Axl mediates multiple oncogenic phenotypes and activation of these RTKs constitutes a mechanism of chemoresistance in a variety of solid tumors. Axl contributes to cell survival, migration, invasion, metastasis and chemosensitivity justify further investigation of Axl as novel therapeutic targets in cancer. The receptor tyrosine kinase AXL is thought to play a role in metastasis. The soluble AXL receptor as a therapeutic candidate agent for treatment of metastatic ovarian cancer. GAS6/AXL targeting as an effective strategy for inhibition of metastatic tumor progression in vivo.

Synonym: Al323647,Ark,Tyro7,Ufo

Molecular Weight: 74.5 kDa

NCBI Accession: NP_033491


Pathways: RTK Signaling, Cellular Response to Molecule of Bacterial Origin

Application Details

Restrictions: For Research Use only

Handling

Format:	Lyophilized	
Reconstitution:	Please refer to the printed manual for detailed information.	
Buffer:	Lyophilized from sterile PBS, pH 7.4	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.	
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted	
	samples are stable at < -20°C for 3 months.	



Western Blotting

Image 1.