.-online.com antibodies

Datasheet for ABIN7320670 TGFBR2 Protein (His tag)

Image



Overview

Quantity:	50 µg
Target:	TGFBR2
Origin:	Mouse
Source:	Human Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TGFBR2 protein is labelled with His tag.

Product Details


Purpose:	Recombinant Mouse TGFBR2 Protein (His Tag)
Sequence:	Ile24-Asp159
Characteristics:	Recombinant Mouse Transforming Growth Factor-beta Receptor Type II is produced by our Mammalian expression system and the target gene encoding Ile24-Asp159 is expressed with a 6His tag at the C-terminus.
Purity:	> 95 % as determined by SDS-PAGE
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.

Target Details

Target:	TGFBR2
Alternative Name:	TGFBR2 (TGFBR2 Products)
Background:	Background: Transforming growth factor- β (TGF- β) is an essential regulator in the processes of
	development, cell proliferation, and extracellular matrix deposition. TGF- β regulates cellular

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7320670 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

	processes by binding to three high-affinity cell surface receptors: TGF- β receptor type I (TGF- β -
	RI), TGF- β receptor type II (TGF- β -RII), and TGF- $\beta\beta$ receptor type III (TGF- β -RIII). TGF- β RII is
	consists of a C-terminal protein kinase domain and an N-terminal ectodomain and belongs to
	transforming growth factor-beta (TGF- β) receptor subfamily. TGF- β RII has a protein kinase
	domain which can form a heterodimeric complex with another receptor protein and bind TGF-
	beta. This receptor/ligand complex phosphorylates protein will enter the nucleus and regulate
	the transcription of a subset of genes related to cell proliferation.
	Synonym: TGF-beta receptor type-2, TGFR-2, TGF-beta type II receptor, Transforming growth
	factor-beta receptor type II, TGF-beta receptor type II, TbetaR-II, Tgfbr2
Molecular Weight:	16.2 kDa
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from a 0.2 μ m filtered solution of PBS, pH 7.4.
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7320670 | 09/09/2023 | Copyright antibodies-online. All rights reserved.