antibodies -online.com





anti-NeuN antibody (AA 51-150) (Cy5)



Publication



Go to Product page

()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL
Target:	NeuN (RBFOX3)
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse, Rat, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NeuN antibody is conjugated to Cy5
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human NeuN
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rabbit, Rat
Predicted Reactivity:	Dog,Cow,Horse
Purification:	Purified by Protein A.

Target Details

Target:	NeuN (RBFOX3)
Alternative Name:	Fox3/Neun (RBFOX3 Products)

Target Details

De alcana, di	Consequence FOVO NICHNI FOV O LIDNIDDO DAMA kinakina na 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Background:	Synonyms: FOX3, NEUN, FOX-3, HRNBP3, RNA binding protein fox-1 homolog 3, Fox-1 homolog
	C, RBFOX3 Background: Vertebrate neuron-specific nuclear protein called NeuN (Neuronal Nuclei) is an
	excellent marker for neurons in primary cultures and in retinoic acid-stimulated P19 cells. It is
	also useful for identifying neurons in transplants. NeuN is a neuron-specific, DNA-binding
	nuclear protein in vertebrates. In mice, NeuN is observed in most neuronal cell types throughout
	the nervous system, including cerebellum, cerebral cortex, hippocampus, thalamus and spinal
	cord, as well as the dorsal root ganglia, sympathetic chain ganglia and enteric ganglia of the
	peripheral nervous system. NeuN immunoreactivity is first observed in neurons when they
	become post-mitotic and are initiating cellular and morphological differentiation. No staining is
	observed in proliferative zones. NeuN has been used as an immunohistochemical marker for
	excitotoxic lesions of the brain as well as in the diagnosis of a wide range of human tissue
	specimens from the central and peripheral nervous systems.
Gene ID:	146713
UniProt:	A6NFN3
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

-20 °C

Storage:

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months
Publications	
Product cited in:	Song, Gaudin, King, Seo, Suh, Deng, Cui, Tietjen, Huttner, Saltzman: "Surface chemistry governs
	cellular tropism of nanoparticles in the brain." in: Nature communications , Vol. 8, pp. 15322, (
	2017) (PubMed).