

# Datasheet for ABIN732077 anti-NeuN antibody (AA 51-150) (HRP)



#### Overview

Overview	
Quantity:	100 μL
Target:	NeuN (RBFOX3)
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse, Rat, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NeuN antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human NeuN

Immunogen:	KLH conjugated synthetic peptide derived from human NeuN
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rabbit, Rat
Predicted Reactivity:	Dog,Cow,Horse
Purification:	Purified by Protein A.

### Target Details

Target:	NeuN (RBFOX3)
Alternative Name:	FOX3/NeuN (RBFOX3 Products)

## Target Details

Synonyms: FOX3, NEUN, FOX-3, HRNBP3, RNA binding protein fox-1 homolog 3, Fox-1 homolog C, RBFOX3	
Background: Vertebrate neuron-specific nuclear protein called NeuN (Neuronal Nuclei) is an excellent marker for neurons in primary cultures and in retinoic acid-stimulated P19 cells. It is also useful for identifying neurons in transplants. NeuN is a neuron-specific, DNA-binding nuclear protein in vertebrates. In mice, NeuN is observed in most neuronal cell types throughout the nervous system, including cerebellum, cerebral cortex, hippocampus, thalamus and spinal cord, as well as the dorsal root ganglia, sympathetic chain ganglia and enteric ganglia of the peripheral nervous system. NeuN immunoreactivity is first observed in neurons when they become post-mitotic and are initiating cellular and morphological differentiation. No staining is observed in proliferative zones. NeuN has been used as an immunohistochemical marker for excitotoxic lesions of the brain as well as in the diagnosis of a wide range of human tissue	
	specimens from the central and peripheral nervous systems.
	146713
	A6NFN3
	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
	For Research Use only
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish	

peroxidase.

#### Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months