

## Datasheet for ABIN7320781 P-Selectin Protein (Fc Tag)

[Go to Product page](#)

### 1 Image

#### Overview

Quantity:	50 µg
Target:	P-Selectin (SELP)
Origin:	Mouse
Source:	Human Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This P-Selectin protein is labelled with Fc Tag.

#### Product Details

Purpose:	Recombinant Mouse P-selectin/CD62P Protein (Fc Tag)
Sequence:	Trp42-Ala709
Characteristics:	Recombinant Mouse P-selectin is produced by our Mammalian expression system and the target gene encoding Trp42-Ala709 is expressed with a Fc tag at the C-terminus.
Purity:	> 90 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.

#### Target Details

Target:	P-Selectin (SELP)
Alternative Name:	P-selectin/CD62P ( <a href="#">SELP Products</a> )
Background:	Background: P-selectin/CD62P is a single-pass type I membrane protein which is a member of the Selectin family. It consists 768 amino acid (aa). P-selectin is a cell surface glycoprotein expressed by activated platelets and endothelial cells. It induced expression in lung, liver, kidney

## Target Details

and heart after endotoxin treatment. Ca<sup>2+</sup>-dependent receptor for myeloid cells that binds to carbohydrates on neutrophils and monocytes. It mediates the interaction of activated endothelial cells or platelets with leukocytes. The ligand recognized is sialyl-Lewis X. It also mediates rapid rolling of leukocyte rolling over vascular surfaces during the initial steps in inflammation through interaction with PSGL1. P-selectin interacts with SNX17, PSGL1/SEPL, PODXL2, mediates neutrophil adhesion and leukocyte rolling. This interaction requires the sialyl-Lewis X epitope of PSGL1 and PODXL2, and specific tyrosine sulfation on PSGL1.

Synonym: P-selectin, CD62 antigen-like family member P, Granule membrane protein 140, GMP-140, Leukocyte-endothelial cell adhesion molecule 3, LECAM3, PADGEM

Molecular Weight: 99.5 kDa

UniProt: [Q01102](#)

## Application Details

Restrictions: For Research Use only

## Handling


Format: Lyophilized

Reconstitution: Please refer to the printed manual for detailed information.

Buffer: Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Storage: 4 °C, -20 °C, -80 °C

Storage Comment: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.