# -online.com antibodies

Datasheet for ABIN7320883 IL-5 Protein (His tag)

Image



#### Overview

Quantity:	50 µg
Target:	IL-5 (IL5)
Origin:	Mouse
Source:	Human Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IL-5 protein is labelled with His tag.

#### Product Details

Purpose:	Recombinant Mouse Interleukin-5/IL-5 (C-6His)
Sequence:	Met21-Gly133
Characteristics:	Recombinant Mouse Interleukin-5 is produced by our Mammalian expression system and the target gene encoding Met21-Gly133 is expressed with a 6His tag at the C-terminus.
Purity:	>95 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per $\mu$ g as determined by the LAL method.


### Target Details

Target:	IL-5 (IL5)
Alternative Name:	Interleukin-5/IL-5 (IL5 Products)
Background:	Background: IL-5 is expressed in eosinophils, NK cells, TC2 CD8+ T cells, mast cells, CD45+ CD4+ T cells, gamma delta T cells and IL-1 beta activated endothelial cells. IL-5 acts as a
	growth and differentiation factor for both B cells and eosinophils. Relative to B cells, IL-5

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7320883 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

	appears to induce the differentiation of activated conventional B-2 cells into Ig-secreting cells. In addition, it induces the growth of B-1 progenitors as well as IgM production by B-1 cells.IL-5 appears to perform a number of functions on eosinophils. These include the down modulation of Mac-1,the upregulation of receptors for IgA and IgG,the stimulation of lipid mediator
	(leukotriene C4 and PAF) secretion and the induction of granule release.IL-5 also promotes the
	growth and differentiation of eosinophils.
	Synonym: Prolactin, PRL
Molecular Weight:	13.9 kDa
UniProt:	P04401
Pathways:	JAK-STAT Signaling, Positive Regulation of Peptide Hormone Secretion, Production of
	Molecular Mediator of Immune Response, Feeding Behaviour
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from a 0.2 $\mu$ m filtered solution of PBS, pH 7.4.
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7320883 | 09/09/2023 | Copyright antibodies-online. All rights reserved.