# antibodies .- online.com





## CD137 Protein (Fc Tag)





#### Go to Product page

( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	50 µg
Target:	CD137 (TNFRSF9)
Origin:	Cynomolgus
Source:	Human Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD137 protein is labelled with Fc Tag.

#### **Product Details**

Purpose:	Recombinant Cynomolgus 4-1BB/TNFRSF9/CD137 Protein (Fc Tag)	
Sequence:	Leu24-Gln186	
Characteristics:	Recombinant Cynomolgus 4-1BB ligand receptor is produced by our Mammalian expression system and the target gene encoding Leu24-Gln186 is expressed with a Fc tag at the N-terminus.	
Purity:	> 95 % as determined by reducing SDS-PAGE.	
Endotoxin Level:	otoxin Level: < 1.0 EU per µg as determined by the LAL method.	

## Target Details

Target:	CD137 (TNFRSF9)
Alternative Name:	4-1BB/TNFRSF9/CD137 (TNFRSF9 Products)
Background:	Background: Tumor necrosis factor receptor superfamily member 9(TNFRSF9), also known as
	CD137 and 4-1BB, is an inducible T cell surface protein belonging to the tumor necrosis factor

receptor superfamily. It is a single-pass type I membrane protein which contains 4 TNFR-Cys repeats. The human and mouse proteins share 60 % amino acid sequence identity. CD137 is expressed by mesenchymal cells, including endothelial cells, chondrocytes, and cells of the central nervous system. CD137 is also broadly expressed by cells of the human immune system, is broadly expressed by cells of the human immune system, including activated CD8+ and CD4+ T cells, activated natural killer (NK) cells, follicular dendritic cells (FDCs) and monocytes. CD137 has diverse roles in the immune response, the one key function is to promote the survival of both T cells and dendritic cells by binding the cognate ligand CD137L (4-1BBL).

Synonym: CD137, ILA, TNFRSF9, 4-1BB ligand receptor, CDw137, T-cell antigen 4-1BB homolog, T-cell antigen ILA

Molecular Weight:

44.4 kDa

UniProt:

A9YYE7

Pathways:

Cancer Immune Checkpoints


#### **Application Details**

Restrictions:

For Research Use only

#### Handling

Format:	Lyophilized	
Reconstitution:	Please refer to the printed manual for detailed information.	
Buffer:	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.	
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted	
	samples are stable at < -20°C for 3 months.	



## **Western Blotting**

Image 1.