antibodies .- online.com





CD68 Protein (Fc Tag)





\sim			
	IV/E	۱/۱۲	$I \cap V$

Quantity:	100 μg
Target:	CD68
Origin:	Rat
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD68 protein is labelled with Fc Tag.
Product Details	

Product Details

Purpose:	Recombinant Rat CD68/Macrosialin Protein (Fc Tag)
Sequence:	Met1-Ser295
Characteristics:	A DNA sequence encoding the rat CD68 (Q4FZY1) (Met1-Ser295) was expressed, fused with the Fc region of human IgG1 at the C-terminus.
Purity:	> 85 % as determined by SDS-PAGE
Endotoxin Level:	$<$ 1.0 EU per μg of the protein as determined by the LAL method

Target Details

Target:	CD68	
Alternative Name:	CD68/Macrosialin (CD68 Products)	
Background:	Background: Macrosialin, also known as CD68 and Gp110, is a single-pass type I membrane protein which belongs to the LAMP family. CD68 is highly expressed by blood monocytes and tissue macrophages. It is also expressed in lymphocytes, fibroblasts and endothelial cells.	

CD68 is expressed in many tumor cell lines which could allow them to attach to selectins on vascular endothelium, facilitating their dissemination to secondary sites. CD68 plays a role in phagocytic activities of tissue macrophages, both in intracellular lysosomal metabolism and extracellular cell-cell and cell-pathogen interactions. It is a commonly used marker for macrophages. However, a number of studies have shown that CD68 antibodies react with other hematopoietic and non-hematopoietic cell types, suggesting that CD68 may not be a macrophage-specific antigen. CD68 binds to tissue- and organ-specific lectins or selectins, allowing homing of macrophage subsets to particular sites. Rapid recirculation of CD68 from endosomes and lysosomes to the plasma membrane may allow macrophages to crawl over selectin-bearing substrates or other cells.

Synonym: CD68

Molecular Weight:

56.5 kDa

UniProt:

Q4FZY1


Application Details

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.



Western Blotting

Image 1.