

Datasheet for ABIN733223

anti-PAI1 antibody (AA 301-402)[Go to Product page](#)**1** Image

Overview

Quantity:	100 µL
Target:	PAI1 (SERPINE1)
Binding Specificity:	AA 301-402
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PAI1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PAI-1
Isotype:	IgG
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	PAI1 (SERPINE1)
Alternative Name:	PAI-1 (SERPINE1 Products)
Background:	Synonyms: PAI, PAI1, PAI-1, PLANH1, Plasminogen activator inhibitor 1, Endothelial

Target Details

plasminogen activator inhibitor, Serpin E1, SERPINE1

Background: Serine protease inhibitor. This inhibitor acts as 'bait' for tissue plasminogen activator, urokinase, protein C and matrilysin-3/TMPRSS7. Its rapid interaction with PLAT may function as a major control point in the regulation of fibrinolysis.


Gene ID:	5054
UniProt:	P05121
Pathways:	p53 Signaling , Cellular Response to Molecule of Bacterial Origin , Carbohydrate Homeostasis , Autophagy , Smooth Muscle Cell Migration

Application Details

Application Notes:	ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat kidney labeled with Rabbit Anti PAI-1 Polyclonal Antibody, Unconjugated (ABIN733223) at 1:200 followed by conjugation to the secondary antibody and DAB staining