antibodies -online.com







anti-CA2 antibody (AA 201-260)



Image



Over	viev	١
------	------	---

Quantity:	100 μL
Target:	CA2
Binding Specificity:	AA 201-260
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CA2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from mouse CA II
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat
Purification:	Purified by Protein A.

Target Details

Target:	CA2
Alternative Name:	Carbonic anhydrase 2 (CA2 Products)
Background:	Synonyms: CAC, CAII, Car2, CA-II, HEL-76, Carbonic anhydrase 2, Carbonate dehydratase II,

Carbonic anhydrase C, Carbonic anhydrase II, CA2
Background: Essential for bone resorption and osteoclast differentiation (By similarity).
Reversible hydration of carbon dioxide. Can hydrate cyanamide to urea. Involved in the
regulation of fluid secretion into the anterior chamber of the eye. Contributes to intracellular pH
regulation in the duodenal upper villous epithelium during proton-coupled peptide absorption.
Stimulates the chloride-bicarbonate exchange activity of SLC26A6.

Gene ID: 760

UniProt: P00918

Application Details

Application Notes: WB 1:300-5000


ELISA 1:500-1000

IHC-P 1:200-400

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded human brain glioblastoma labeled with Anti-CA II Polyclonal Antibody, Unconjugated (ABIN733298) at 1:200 followed by conjugation to the secondary antibody and DAB staining