antibodies -online.com





anti-Spastin antibody (AA 551-616) (FITC)



Overview

Quantity:	100 μL
Target:	Spastin (SPAST)
Binding Specificity:	AA 551-616
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Spastin antibody is conjugated to FITC
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human FSP
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	Spastin (SPAST)
Abstract:	SPAST Products

Target Details

901 2 0140	
Background:	Synonyms: FSP2, SPG4, ADPSP, Spastin, Spastic paraplegia 4 protein, SPAST, KIAA183
	Background: ATP-dependent microtubule severing protein. Microtubule severing may promote
	reorganization of cellular microtubule arrays and the release of microtubules from the
	centrosome following nucleation. Required for membrane traffic from the endoplasmic
	reticulum (ER) to the Golgi and for completion of the abscission stage of cytokinesis. May also
	play a role in axon growth and the formation of axonal branches.
Gene ID:	6683
UniProt:	Q9UBP0
Pathways:	Microtubule Dynamics, M Phase, Regulation of Cell Size
Application Details	
Application Notes:	FCM 1:20-100
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months