antibodies -online.com





anti-Follistatin antibody (AA 151-250)





Overview

Quantity:	100 μL
Target:	Follistatin (FST)
Binding Specificity:	AA 151-250
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Follistatin antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Follistatin
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	Follistatin (FST)
Alternative Name:	Follistatin (FST Products)
Background:	Synonyms: FS, Follistatin, Activin-binding protein, FST

Target Details

Storage:

Expiry Date:


Storage Comment:

4 °C,-20 °C

12 months


Target Details		
	Background: Binds directly to activin and functions as an activin antagonist. Specific inhibitor of the biosynthesis and secretion of pituitary follicle stimulating hormone (FSH).	
Gene ID:	10468	
UniProt:	P19883	
Pathways:	Negative Regulation of Hormone Secretion	
Application Details		
Application Notes:	ELISA 1:500-1000 IHC-P 1:200-400	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.




Western Blotting

Image 1. Lane 1: HCCLM3 lysates, probed with Follistatin Polyclonal Antibody, Unconjugated at 1:300 dilution and 4°Covernight incubation. Followed by conjugated secondary antibody incubation at 1:20000 for 60 min at 37°C.



ELISA

Image 2. Antigen: $0.2 \mu g/100 \mu L$ Primary: Antiserum, 1:500, 1:1000, 1:2000, 1:4000, 1:8000, 1:16000, 1:32000; Secondary: HRP conjugated Goat-Anti-Rabbit IgG at 1: 5000; TMB staining; Read the data in MicroplateReader by 450



Immunohistochemistry

Image 3. Formalin-fixed and paraffin embedded human breast carcinoma labeled with Rabbit Anti-Follistatin Polyclonal Antibody (ABIN734258) at 1:200 followed by conjugation to the secondary antibody and DAB staining.

Please check the product details page for more images. Overall 4 images are available for ABIN734258.