

Datasheet for ABIN734663

anti-mGluR1 + mGluR5 antibody (AA 651-750)

4 Images

1 Publication

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	mGluR1 + mGluR5 (mGluR1/5)
Binding Specificity:	AA 651-750
Reactivity:	Mouse, Rat, Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This mGluR1 + mGluR5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GRM1
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	mGluR1 + mGluR5 (mGluR1/5)
---------	----------------------------

Target Details

Abstract:	mGluR1/5 Products
Background:	<p>Synonyms: glutamate receptor metabotropic 1, Glutamate Receptor Metabotropic 1, Metabotropic glutamate receptor 1, mGluR1, MGLUR1, GRM1_HUMAN, MGLUR5, mGluR5, GRM5, GRM5_HUMAN.</p> <p>Background: L-glutamate is the major excitatory neurotransmitter in the central nervous system and activates both ionotropic and metabotropic glutamate receptors. Glutamatergic neurotransmission is involved in most aspects of normal brain function and can be perturbed in many neuropathologic conditions. The metabotropic glutamate receptors are a family of G protein-coupled receptors, that have been divided into 3 groups on the basis of sequence homology, putative signal transduction mechanisms, and pharmacologic properties. Group I includes GRM1 and GRM5 and these receptors have been shown to activate phospholipase C. Group II includes GRM2 and GRM3 while Group III includes GRM4, GRM6, GRM7 and GRM8. Group II and III receptors are linked to the inhibition of the cyclic AMP cascade but differ in their agonist selectivities. The canonical alpha isoform of the metabotropic glutamate receptor 1 gene is a disulfide-linked homodimer whose activity is mediated by a G-protein-coupled phosphatidylinositol-calcium second messenger system. Alternative splicing results in multiple transcript variants encoding distinct isoforms, some of which may have distinct functions. [provided by RefSeq].</p>
Gene ID:	2911, 2915

Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 FCM 1:20-100 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 ICC 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
---------	--------


Handling

Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months

Publications


Product cited in:	Atluri, Kanthikeel, Reddy, Yndart, Nair: "Human synaptic plasticity gene expression profile and dendritic spine density changes in HIV-infected human CNS cells: role in HIV-associated neurocognitive disorders (HAND)." in: PLoS ONE , Vol. 8, Issue 4, pp. e61399, (2013) (PubMed).
-------------------	---

Images




Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded rat brain tissue labeled with Anti GRM1 Polyclonal Antibody, Unconjugated (ABIN734663) at 1:200 followed by conjugation to the secondary antibody and DAB staining.



Flow Cytometry

Image 2. SK-N-MC cells probed with Rabbit Anti-Group I mGLUR Polyclonal Antibody Alexa Fluor 488 Conjugated Secondary Antibody.



Immunohistochemistry

Image 3. Formalin-fixed and paraffin embedded human lung carcinoma tissue labeled with Anti GRM1 Polyclonal Antibody, Unconjugated (bs1803R) at 1:200 followed by conjugation to the secondary antibody and DAB staining.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN734663.